


REMARKS

Applicant has amended the specification and claims to correct typographical errors.

None of the new amendments constitute new matter.

Entry of this Preliminary Amendment and favorable action of this patent application are respectfully requested.

Respectfully submitted,



James F. Haley, Jr. (27,794)
Attorney for Applicant
Bhavana Joneja (47,689)
Agent for Applicant
Customer No. 1473
c/o FISH & NEAVE
1251 Avenue of the Americas
New York, New York 10020
Tel.: (212) 596-9000

Version With Markings to Show Changes Made in the Specification

Page 8, line 7, delete "YYCA211111111YFDAYTG" and substitute therefor -- YYCA211111111YFDYWG --.

Page 8, line 27, delete "D and S" and substitute therefor -- D and G --.

Page 36, line 10, delete "YYCA211111111YFDYTG." and substitute therefor -- YYCA211111111YFDYWG. --.

Version With Markings to Show Changes Made in the Claims

5. (Amended) A focused library of vectors or genetic packages that display, display and express, or comprise a member of a diverse family of human antibody related peptides, polypeptides and proteins and collectively display, display and express, or comprise at least a portion of the diversity of the antibody family, the vectors or genetic packages being characterized by variegated DNA sequences that encode a heavy chain CDR3 selected from the group consisting of:

(1) YYCA21111YFDYWG, wherein 1 is an equimolar mixture of each amino acid residues A, D, E, F, G, H, I, K, L, M, N, P, Q, R, S, T, V, W and Y; and 2 is an equimolar mixture of K and R;

(2) YYCA211111YFDYWG, wherein 1 is an equimolar mixture of each amino acid residues A, D, E, F, G, H, I, K, L, M, N, P, Q, R, S, T, V, W and Y; and 2 is an equimolar mixture of K and R;

(3) YYCA21111111YFD[A]Y[T]WG, wherein 1 is an equimolar mixture of each amino acid residues A, D, E, F,

G, H, I, K, L, M, N, P, Q, R, S, T, V, W and Y; and 2 is an equimolar mixture of K and R;

(4) YYCAR111S2S3111YFDYWG, wherein 1 is an equimolar mixture of each amino acid residues A, D, E, F, G, H, I, K, L, M, N, P, Q, R, S, T, V, W and Y; and 2 is an equimolar mixture of S and G; and 3 is an equimolar mixture of Y and W;

(5) YYCA2111CSG11CY1YFDYWG, wherein 1 is an equimolar mixture of each amino acid residues A, D, E, F, G, H, I, K, L, M, N, P, Q, R, S, T, V, W and Y; and 2 is an equimolar mixture of K and R;

(6) YYCA211S1TIFG11111YFDYWG, wherein 1 is an equimolar mixture of each amino acid residues A, D, E, F, G, H, I, K, L, M, N, P, Q, R, S, T, V, W and Y; and 2 is an equimolar mixture of K and R;

(7) YYCAR111YY2S3344111YFDYWG, wherein 1 is an equimolar mixture of each amino acid residues A, D, E, F, G, H, I, K, L, M, N, P, Q, R, S, T, V, W and Y; 2 is an equimolar mixture of D and [S]G; and 3 is an equimolar mixture of S and G;

(8) YYCAR1111YC2231CY111YFDYWG, wherein 1 is an equimolar mixture of each amino acid residues A, D, E, F, G, H, I, K, L, M, N, P, Q, R, S, T, V, W and Y; 2 is an equimolar mixture of S and G; and 3 is an equimolar mixture of T, D and G; and

(9) mixtures of vectors or genetic packages characterized by any of the above DNA sequences.

26. (Amended) A population of variegated DNA sequences that encode a heavy chain CDR3 selected from the group consisting of:

(1) YYCA21111YFDYWG, wherein 1 is an equimolar mixture of each amino acid residues A, D, E, F, G,

H, I, K, L, M, N, P, Q, R, S, T, V, W and Y; and 2 is an equimolar mixture of K and R;

(2) YYCA2111111YFDYWG, wherein 1 is an equimolar mixture of each amino acid residues A, D, E, F, G, H, I, K, L, M, N, P, Q, R, S, T, V, W and Y; and 2 is an equimolar mixture of K and R;

(3) YYCA21111111YFD[A]Y[T]WG, wherein 1 is an equimolar mixture of each amino acid residues A, D, E, F, G, H, I, K, L, M, N, P, Q, R, S, T, V, W and Y; and 2 is an equimolar mixture of K and R;

(4) YYCAR111S2S3111YFDYWG, wherein 1 is an equimolar mixture of each amino acid residues A, D, E, F, G, H, I, K, L, M, N, P, Q, R, S, T, V, W and Y; and 2 is an equimolar mixture of S and G; and 3 is an equimolar mixture of Y and W;

(5) YYCA2111CSG11CY1YFDYWG, wherein 1 is an equimolar mixture of each amino acid residues A, D, E, F, G, H, I, K, L, M, N, P, Q, R, S, T, V, W and Y; and 2 is an equimolar mixture of K and R;

(6) YYCA211S1TIFG11111YFDYWG, wherein 1 is an equimolar mixture of each amino acid residues A, D, E, F, G, H, I, K, L, M, N, P, Q, R, S, T, V, W and Y; and 2 is an equimolar mixture of K and R;

(7) YYCAR111YY2S3344111YFDYWG, wherein 1 is an equimolar mixture of each amino acid residues A, D, E, F, G, H, I, K, L, M, N, P, Q, R, S, T, V, W and Y; 2 is an equimolar mixture of D and [S]G; and 3 is an equimolar mixture of S and G;

(8) YYCAR1111YC2231CY111YFDYWG, wherein 1 is an equimolar mixture of each amino acid residues A, D, E, F, G, H, I, K, L, M, N, P, Q, R, S, T, V, W and Y; 2 is an equimolar mixture of S and G; and 3 is an equimolar mixture of T, D and G; and

(9) mixtures of variegated DNA sequences characterized by any of the above DNA sequences.